


SF 427

J71



THE DOG.

— * —

MANAGEMENT IN HEALTH,
TREATMENT IN DISEASE.

TRADE

MARK.



PRESENTED BY

DR. S. K. JOHNSON,
CHIEF SURGEON,

New York Veterinary Hospital,
117 W. 25th St., near 6th Ave.,
NEW YORK CITY.

Telephone: 1885 Madison Square.

TWO COPIES RECEIVED,

Library of Congress,
Office of the

FEB 15 1900

Register of Copyrights.

SF42

J 71

56625

Copyright, 1900, by DR. S. K. JOHNSON.



SECOND COPY.

3205

Feb. 65-

1900.

INDEX.

PAGE.		PAGE.
Administration of Me-		Grooming..... 13
dicine 15		Indigestion 10
Asthma 30		Kennels 13
Blotch..... 18		Lameness..... 36
Brushing... .. 13		Letter Department . . . 40
Canker of the Ear..... 26		Lice..... 16
Care of the Sick..... 14		Lumbago 33
Colds..... 32		Mange 18
Constipation..... 35		Medicine, How to give. 15
Coughs..... 32		Nursing..... 14
Diarrhoea..... 35		Parasites 16
Disinfectants 14		Prefatory Note..... 7
Distemper 22		Red Mange 19
Dyspepsia 10		Rheumatism..... 32
Ear Diseases 26		Special Notice..... 40
Eczema 18		Soap 16
Epilepsy 28		Surfeit..... 19
Exercise 12		Ticks..... 16
Eye Diseases 34		Veterinary Advice 36
Feeding..... 10		Vomiting 35
Fits..... 28		Washing 13
Fleas..... 16		Water 12
Food 10		Worms..... 24

DR. JOHNSON'S DOG REMEDIES.



Mange and Eczema Cure. —Contains no poison acts mildly and quickly, and radically cures all forms skin diseases. Including internal treatment, 50 cents per bottle.—Postage, 21 cents extra.

Distemper Cure. —For the cure of Distemper, Influenza, loss of flesh and reduction of fever. In cases of fever there is an immediate reduction of temperature and can be given with safety to act simply as an antipyretic and febrifuge when occasion is necessary. \$1.00 per bottle Postage, 17 cents extra.

Canker Cure. —A reliable cure for all forms of Canker 50 cents per bottle.—Postage, 8 cents extra.

Vermifuge. —Immediate relief and cure for all varieties of Stomach, Intestinal and Tape Worms. 50 cents per bottle.—Postage, 6 cents extra.

Fit Cure. —For the speedy cure of Fits and Convulsions whatever the cause. 50 cents per bottle. Postage, 6 cents extra.

Cough and Expectorant. —For acute and Chronic Coughs, Laryngitis, Bronchitis and Pneumonia. 50 cents per bottle.—Postage, 11 cents extra.

Vegetable and Mineral Tonic. —For Debilitating Diseases, loss of Appetite, and in Convalescence. 50 cents per bottle.—Postage, 11 cents extra.

Eye Lotion. —For all forms of Eye Diseases, Cataracts, Abscesses, Ulcers, etc., of the eyes. 50 cents per bottle.—Postage, 8 cents extra.

Blood Purifier. —Useful in over-heated conditions of the Blood, and wherever indicated, 50 cents per bottle.—Postage, 14 cents extra.

Liniment. —For Sprains, Bruises, Rheumatism and Paralysis. 50 cents per bottle.—Postage, 14 cents extra.

DR. JOHNSON'S DOG REMEDIES.



Anti-Constipation and Liver Pills—Excellent in their action wherever indicated, especially on the liver. 50 cents per bottle.—Postage, 4 cents extra.

Digestive Pills—Act quickly in all derangements of stomach, as Dyspepsia and Indigestion, They are great fat producers. 50 cents per bottle.—Postage, 4 cents extra.

Anti-Vomiting Pills—For the immediate relief of vomiting. 50 cents per bottle.—Postage, 4 cents extra.


Diarrhoea Pills—Servicable in Diarrhoea from whatever cause. 50 cents per bottle.—Postage, 4 cents extra.

Rheumatic Pills—Safe and speedy cure for Rheumatism and all rheumatic conditions. 50 cents per bottle.—Postage, 4 cents extra.

Asthma Tablets—For the immediate relief and cure of Asthma. 50 cents per bottle.—Postage, 4 cents extra.

Flea and Shampoo Soap—The only Dog Soap on the market guaranteed to kill fleas. It surpasses all flea-killing preparations, and has no equal. It contains no poison, and if eaten by the Dog acts as a mild laxative. The utmost care is taken in its manufacture, using only pure and rich oils. Besides killing fleas, it has a beneficial action on the skin and coat of the Dog, making same smooth and glossy, and can be used all year around, as its shampooing, cleansing and disinfecting qualities are especially recommended. 25 cents per cake.

These remedies can be obtained from your Druggist, at Dog and Bird stores, and Sporting Goods dealers. Notify us immediately if at places mentioned you cannot obtain the remedies, and we will place same for sale at some Druggists in your vicinity.



GENERAL OFFICES OF
NEW YORK VETERINARY HOSPITAL.

PREFACE.

 HIS work is not intended as a complete treatise on the many and different diseases of the dog. It would be simply impossible in so short an edition to give full detail nor would it be practicable to give same. The author has refrained when possible from using technical phrases. The main object is to state principal symptoms in plain language so that the several diseases, etc., dogs are subjected to can be diagnosed and treated intelligently and promptly by any person.

Having been for many years the consulting Veterinarian to the American Society for the Prevention of Cruelty to Animals, the author of this book desires to supplement the humane work in which the Society is engaged, by mitigating in so far as he is able the troubles of our Canine friends when suffering ailments incident to their species.

The *Canine department* of the New York Veterinary Hospital has been under the exclusive charge of canine specialists for the past *Eighteen years* and it is needless to state that during that period an enormous number of dogs

THE DOG.

and cats have been treated. The success achieved in this department bears witness to the painstaking care, and the scientific and skillful attention given to this branch of the hospital. From the most trivial to the most serious cases, from the slightest to the most critical operations have been performed on dogs and cats. This immense experience, obtained by our specialists in the treatment of diseases, has resulted in the most perfect methods and remedies, which experience has proven to be the best, surest, and safest cure. The different and special diseases have been classified and proper remedies or specifics prepared to suit each case, so that at this date we are prepared to advise or prescribe for every curable disease with *Our Specifics*, the same being compounded in *Our* own laboratory under the direct supervision of able chemists and veterinarians.

Dr. J. H. Johnson

THE NORMAL TEMPERATURE — PULSE — RESPIRATION.

TEMPERATURE.

(Per Rectum.)

Ranges from 100° to 102°.

PULSE.

(Taken at the Inside of Thigh.)

Pulse at Birth, ranges from 130 to 160 beats per minute.

Pulse during first three months ranges from 120 to 140 beats per minute.

Pulse from three months to one year, ranges from 90 to 110 beats per minute.

Pulse after one year of age, ranges from 70 to 90 beats per minute

RESPIRATION.

(Place Ear at either side of Chest.)

Ranges from 15 to 20 per minute.

The Temperature, Pulse and Respiration should be taken when an animal is at rest.



TO RESTRAIN A DOG.

FOOD AND FEEDING.

Dogs have great digestive powers but digestion is very slow, therefore one substantial meal per day is all that is necessary, except those animals performing work or having plenty of exercise, to which two meals per day can be given safely. The food should be nutritious and wholesome,—preserves, candies, biscuits and sweetmeats are injurious and hard to digest and should never be given for fear of causing indigestion and dyspepsia. You may kill by kindness, in feeding contrary to these directions. A dog should receive his meal at a regular hour every day,—noon time is the best hour for feeding, those animals receiving one meal per day, morning and evening to those receiving two meals per day, and don't permit the animal to exercise immediately before or after feeding as the process of digestion will be interfered with. It is difficult to state the amount of food an animal requires, you must watch and use your own judgment. Our method is, *viz.*: to never give a dog more food than he can partake of at one time, a dog will not eat to excess, therefore if he be given too much, a quantity of the food

will remain,—in giving his next meal we reduce the quantity and only give the amount he really consumed in his trial meal, we have in this way very simply found out the eating capacity of the dog.—The rules here given pertain only to dogs in health, sick dogs require small quantities of food at short intervals, whilst healthy animals require substantial meals at long intervals—12 to 24 hours.

Dogs are carnivorous animals, and meat is dog's natural food,—it should never be given in large quantities to such dogs who have little exercise, as house and toy-dogs, and above all should never be given in a raw state; we have found that stale bread, biscuit, milk, oatmeal and vegetables, mixed with meat, makes the most wholesome diet for dogs over four months of age, for puppies under four months we recommend milk and crackers, with an occasional bone, after the meat has been scraped off.

Bones are essential to the dogs economy, as they not only supply phosphorous, but cleanse the teeth and aid digestion by the animal chewing upon them and increasing salivation,—they should be given after feeding, as the animal is not so apt to swallow them, as food, thereby causing intestinal and stomach diseases, as gastritis and inflammation of the bowels. Have the bones

THE DOG.

very large and hard, making breaking or swallowing impossible. Never try to force a healthy dog to eat, when an animal refuses food it is an indication of some abnormality, and our *specifcs should be consulted.*

WATER

Should be given in abundance as it assists the different functions of the body ; always have a quantity within the animals reach that he may partake thereof at will.

EXERCISE.

One of the essentials to a dog's health is exercise. As in human, out-door exercise diverts the mind, and allows the lungs to breathe the vital oxygen. To young and growing dogs it is indispensable, it gives health, spirit, and form to the body, assists digestion and assimilation of food and relaxes the bowels. By carrying the dog in arms, or driving him about in a carriage, having him out for the so-called "airing" does not constitute exercise. As previously stated, do not exercise immediately after feeding or on a full stomach.

WASHING AND GROOMING.

Washing is undoubtedly beneficial when indulged in moderately,—it is a mistake to bathe your dog daily thinking it is requisite, as in many instances it causes canker and oftentimes deafness. Dogs having long hair require ablutions more frequently than short-haired dogs,—once a week is about correct, of course this depends upon the way the animal is groomed, and where he is housed. The water should be luke warm and use *Our Shampoo and Flea Soap* well rubbed in; permit the lather to remain on for a few minutes and then rinse in cold water,—rub dry in warm room free from drafts and allow brisk exercise. Grooming is necessary where cleanliness and a fine coat is desired it also prevents matting in long-haired dogs.

KENNELS.

The kennels should be dry, warm, and sunny. Cleanliness should be established above all. Bedding can consist of either straw, excelsior, fine shavings or sawdust. House dogs may be made comfortable upon a rug or mat placed on the floor, all out-door kennels should be elevated at least six inches from the ground and have proper drainage.

DISINFECTION.

Disinfection of kennels is imperative if you wish your dogs to be free from odor, healthy and clean.—It prevents disease. A solution made by dissolving one ounce of *Our Flea Soap* in a pail of hot water makes an excellent and non-poisonous parasiticide and disinfectant. We recommend the disinfecting preparations of the West Disinfecting Co. of New York.—They have been found superior to all other similar deodorizing agents.

NURSING AND CARE OF THE SICK.

First, remove or isolate the patient from all other animals, if the disease be contagious or not, the apartment in which he is kept should be warm, sunny and free from drafts, be regular in the administration of medicine.—If animal refuses food he must be coaxed and tempted to eat with palatable food, or if necessary food must be forced down in order to sustain vitality. Food should be light, easily digestible and highly nutritious,—broth, eggs, milk, wines and brandies when indicated are advisable in small quantities.

HOW TO ADMINISTER MEDICINE.

In some cases this is a difficult and troublesome process, simply because judgment is neglected; it requires no strength and you must have a little patience. The following directions will assist you. *To give pill or powder.*—You can often disguise the presence of medicines by placing it in small pieces of meat or some delicacy, throw same to animal, which he will bolt or swallow without chewing. Another way is to take animal upon the lap, between the knees or



Administration of Fluids.



Administration of Pills or Powder.


under the left arm, the mouth is then opened by placing hand over lips on each side and pressing same between the teeth, (thereby avoid being bitten), elevate the head and drop the pill or powder as far back on the tongue as possible, immediately close the mouth and hold it so, if the dog then refuses to swallow, compress the nostrils and he will be forced to.—The same

directions apply to large dogs, only they are permitted to stand on the floor.—*To give Fluids.* Place animal in same position as above,—from the angle of the mouth draw away the lip so as to make a pocket or funnel and into the pocket thus formed pour the medicine, holding the head erect until the animal swallows. Tasteless medicine may be given in soup or broth.

FLEAS AND LICE.

Fleas and lice are the pests of dog life,—they are more abundant in hot weather and increase very rapidly. Fleas are peculiarly constructed and void of wings, their principal attack are hairy animals, their limbs are so constructed that they can leap at will a great distance. They have three pairs of legs, the third or last pair passing from in front backward are very large, and it is from these they possess their leaping power.

We have been experimenting for years and have at last discovered a remedy which we can positively recommend for the destruction of fleas, lice and vermin on dogs and cats, viz.: *Dr. Johnson's Flea Soap.* The bedding, lounging and sleeping places should be thoroughly saturated with a 5 per cent solution of the soap



CONSULTATION AND RECEPTION OFFICES CANINE DEPARTMENT.

(1 oz. soap to a pint of hot water) and we guarantee a permanent relief from this troublesome pest. Owners may possibly find several days after washing, upon close examination, fleas again on their dogs, this is due to the fact that the fleas in the house or bedding have not been thoroughly exterminated, and it is for this reason we ask you to spray the bedding, etc., used by the dog. Full directions for use will be found on every package of soap.

MANGE AND ECZEMA.

The term mange is generally used to denote any diseased condition of the skin which causes loss of hair and itching.

MANGE affecting the canine race is of two varieties,—*Follicular* and *Sarcoptic*. Both are contagious and are generally confounded with various other non-contagious skin diseases as eczema, psoriasis, erysipelas, etc. *Mange* is caused by a parasite and is therefore contagious. *Eczema* is caused by a constitutional derangement occurring from injudicious food, too much meat, a diseased condition of the digestive organs, lack of exercise and mostly from the application of lotions and liniments contain-

ing corrosive sublimate, carbolic acid, etc., in rare cases eczema is caused by fleas.

SARCOPTIC MANGE. *Symptoms.* Intense itching, you will observe that the skin of the affected part presents red spots or points that look like flea bites, these points soon become pustules and break and a watery fluid exudes which forms thick crusts that fall off and cause a loss of hair, the animal scratches these spots violently causing wounds. This disease may cover the entire body if not treated as soon as noticeable.


FOLLICULAR MANGE. *Symptoms.* In this variety the parasite is deeply buried in the skin and is therefore not as contagious as sarcoptic mange. You will at first notice small rounded elevations that burst and exude a thick puss, the skin is chapped and thick, the itching is not as severe as in the sarcoptic variety. The disease first affects the skin of the head and may extend backward, sometimes covering the entire body.

ECZEMA. This disease is also known as "red mange" or "blotch,"—it resembles eczema, tetter, or scald, affecting young children and infants. There are two forms of eczema in the dog.—1st, that which is seen about the head and

THE DOG.

back (along the spine), and 2nd that which manifests itself on the abdomen, under the arms, and between the thighs. This latter form is commonly called "red mange." The *symptoms* of both forms are, redness of the skin, formation of pimples, which rupture, intense itching and loss of hair, causing nudeness of the parts. When an animal has once contracted eczema, there is a liability of reoccurrence, and therefore we recommend *Our Vegetable and Mineral Tonic* to be given for at least one month after attack, to thoroughly cleanse the blood and avoid reoccurrence.

Treatment of Mange and Eczema—To be brief, we can simply recommend the formula which we have used for years on thousands of cases, affecting a cure in each and every case beyond doubt. This formula, or combination of drugs is contained in our infallible *Mange and Eczema Cure*. We guarantee this preparation to radically cure all forms of mange and eczema if used faithfully with the internal remedy. It is advisable to first regulate the bowels by giving *Our Anti-Constipation Pills*. Allow the animal plenty of exercise, feed lightly and regularly, and our preparation, if adhered to according to directions on each bottle, will positively effect a cure.



SOUTH SECTION AND LABORATORY OF CANINE DEPARTMENT.

DISTEMPER.

Under this heading it is impossible to give a complete treatise of this disease, this article being intended only as a short synopsis to enable owners in making a correct diagnosis.

Everybody, from doctor down to kennel keeper, have, as they imagine, some wonderful cure for this disease, which may account for the great percentage of death from distemper. The disease is curable if treated timely and correct, and we will in this, as in other diseases, give you the benefit of our extensive practice, by placing upon the market *Our Distemper Cure*, which we are ever ready to vouch for.

Distemper is a contagious disease and resembles typhus fever in man, its principal attack are dogs under one year of age, but older dogs are not exempt. The disease is caused, according to the latest scientific investigations, by germs. The conditions that favor distemper are [changeable or damp weather, bad food, improper sanitary surroundings, and neglected colds causing exhaustion. The principal cause being contagion from other animals which he may come in contact with, as at bench, dog shows, etc.

Distemper is not a necessary disease, as many

suppose, many animals pass through life without being subjected to it.

Symptoms.—Animal refuses food, vomits, is constipated or has diarrhoea, fever about 103 degrees, pulse rapid and quick, great thirst, the nose is hot and dry, severe chills, husky and deep cough, discharge from eyes and nose, the membranes of eyes are red and inflamed, fits and convulsions, ulcers of the eyes, skin eruptions, and in severe cases paralysis. *The fits and convulsions must not be confounded with those that are caused by worms and teething.* you can easily differentiate by all the other symptoms being observable. The *Complications* of distemper are almost too numerous to mention, among them are bronchitis, pneumonia, bloody diarrhoea, and worst of all chorea or St. Vitus dance, which in the majority of cases is incurable.

Treatment.—In this, as in other contagious diseases, the distempered dog must immediately be removed from all canine companions, and placed in a comfortable, warm and well ventilated compartment or kennel, and our information on nursing and care of the sick followed as closely as possible. We advise *Our Vermifuge* to be resorted to, to ascertain and make sure that the dog has not worms, as these are debili-

THE DOG.

tating and worrisome to a sick animal. *One Eye Lotion* is next recommended to protect the eyes from ulcers and other complications. *One Distemper Cure* has stood the test for years and if timely resorted to will not fail in effecting a speedy cure. When the animal shows improvement, and is convalescent, there is nothing that will build up the system so quickly as *One Vegetable and Mineral Tonic*. Food should be of a stimulating and nutritious nature.

WORMS.

Worms in dogs produce more deaths than all other causes combined, and unless one is a very close observer, the symptoms arising from worms may be passed unnoticed and their deadly work progress without their presence being suspected. Their presence give rise to gastric disturbances, fits, convulsions and death. Most dogs, during some period of their lives, are troubled with worms, and their favorite locations are the stomach and intestines. The varieties of intestinal parasites, or worms, are many. Tape and round worms are most common. The *roundworms* are of a pale red or pinkish color, taper at ends, and are from 1 to 8 inches long. *Tape worms* are white and are composed of sections, are flat and indefinite

as to length. In trying to eradicate the tapeworm, it is essential to remove the head, for as long as this portion remains, growth will continue,—be persistent therefore in administration of *Our Vermifuge*, if you desire thorough eradication.

Worms, or rather the ova or eggs of worms, are received in puppies through their mother's milk, or from dogs walking through or licking effete material from a dog with worms.

Symptoms.—Emaciated condition, diarrhoea, or constipation, colicky pains, increase of appetite, or just the reverse, swelling of the abdomen, pale membranes, rough coat, breaking out of the skin, loss of hair, cough, the nose hot and dry, convulsions, fits, bad odor from the mouth,—animal licks hind parts and drags himself in a sitting position upon the ground.

Treatment.—Almost everything under the sun, from powdered glass down to iron filings have been tried—poor dogs—for the cure of worms. Ancient treatment was very severe and killed more than cured. *Our Vermifuge* is a specific,—it does not contain poisons, is perfectly harmless, and acts very mild, quick and is sure death to all varieties of worms. In the absence of worms in the stomach or intestinal

THE DOG.

canal it does not irritate, as other remedies, it simply acts as a laxative and does not harm whatsoever. Give *Vermifuge* on an empty stomach, and repeat dose in a few days, to be sure of thorough eradication. See directions on each bottle for further information.

INTERNAL CANKER OF THE EAR.

Is an inflammation of the inner part of the ear, or the passages leading to the ear proper

EXTERNAL CANKER.—attacks the margin or edge of the ear flap. If either form is neglected the inflammation will spread, become deep-seated, involve the cartilage and bones of the ear, causing abscesses and deafness. This disease should be treated soon as noticed, when cure is easily effected,—if you neglect treatment it makes it difficult to cure, and the results are serious. This condition is mostly seen among long-eared and haired dogs, on account of filth accumulating inside the flap of ear unseen by owner.

Causes of Internal Canker —Wet and cold, injudicious feeding, over-heating or too stimulating food, filth collecting in the ear, permitting the

ears to remain damp and wet after bathing, and from impurities in the blood, which is proven by the disease being associated with eczema. *External canker* is caused by bruises to the flap of the ear.

Symptoms.—There is a repeated shaking of the head, flapping of the ears and scratching, the inside of the ear is red, inflamed, swollen, hot and painful to the touch, an offensive dark-colored discharge comes from the ears, and itching is intolerable. The animal rubs his ears along the ground, rolls about and cries pitifully.



THE CANKER CAP.

Treatment.—Change and decrease the diet, operate the bowels by giving *Our Anti-Constipation Cure*,—moderate exercise. Thoroughly cleanse the ears, morning and evening, with warm water applied with a feather, cotton-wool,

or soft sponge, then dry and apply *Our Canker Cure*, as per directions. *Internally*,—give *Our Blood Purifier* in conjunction with *Our Digestive remedy*. It is essential to keep the ear from being scratched, in order to secure success and rapidity of cure,—for this purpose a cap (made of linen) should be placed over the animal's head and tied under the throat, as per illustration.

In External Canker wash the sore spots with warm water and apply the *Canker Cure* night and morning. Be persistent in your treatment, as in some cases, from neglect, recovery is slow.

FITS—EPILEPSY

Are of often occurrence, especially in dogs under one year of age. They occur unexpectedly and last a variable period. They may be of a prolonged muscular contraction or may consist of alternate contractions and relaxations. The animal quivers, falls, froths from the mouth, loses consciousness and struggles violently,—as stated, they may last from a few minutes to an indefinite time,—when the fit subsides there is a partial return of consciousness, and the animal lies quiet in an exhausted state, or darts off in



NORTH SECTION OF CANINE DEPARTMENT.

THE DOG.

some unknown direction, knocking his head and snapping as he runs, and will be found in some out-of-the-way place, possibly miles from the attack, in a panting and very weak condition. Those not versed in canine medicine will shout "mad dog," and many a poor animal is thus unnecessarily destroyed.

Cause.—Teething, worms, exhausting and debilitating diseases, constipation, nervous excitement, bad food, indigestion, and bruises to the head,—Bitches from nursing puppies, and from the poisons of certain diseases, as distemper.

Treatment.—During the fit nothing can be done except preventing animal injuring himself. Ascertain, if possible, the cause and remove the same. If due to worms there is nothing so quick and efficacious as *Our Vermifuge*; if from indigestion or stomach troubles, first give *Our Anti-Constipation Cure* and then *Our Digestive Remedy*; if from nervous excitement or from causes unknown, we recommend *Our Fit Cure*.

ASTHMA.

Is a congestion of the mucous membrane of the bronchial tubes, seen mostly in old dogs who

THE DOG.

have been pampered and highly fed. Asthma may be hereditary, due to indigestion, or caused by the sudden changes of temperature, fat around the heart and pressing on the tubes, from the inhalation of dust or gases, and the presence of parasites in the bronchial tubes.

Symptoms.—A wheezing sound is plainly heard when the animal breathes, breathing is difficult and labored, especially so after exercise or exertion,—and a dry and husky cough which may cause vomiting.

Treatment.—If due to indigestion regulate the diet, feed once a day, and give *Our Anti-Constipation Cure*, to act upon the liver and digestive organs—exercise moderately. Asthma, due to other causes, may be successfully treated by administering *Our Asthma Cure*, which, as yet, has not failed to relieve and positively cure the most troublesome and serious cases. If the coughing is steady and continuous, immediate relief can be procured by giving an emetic, consisting either of mustard, hot water and salt, or of a teaspoonful of Ipecac. In convalescence, resort to *Our Digestive Remedy* or *Our Vegetable and Mineral Tonic*, as the case requires.

COUGHS AND COLDS.

Dogs of all ages some time during the year, are more or less troubled with coughs and colds. They are debilitating and worrisome to the animal, causing loss of appetite, constipation or diarrhoea, fever, nervousness, great uneasiness and sore eyes.

Treatment. — Consists in clearing the bowels, allaying fever and keeping the animal quiet in a dry, warm place. A speedy cure can be accomplished by giving as directed *Our Cough and Expecto- rant Specific*. It soothes the raw spots in the bronchial Tubes and aids the expulsion of mucous. If the eyes are involved, *Our Eye Lotion* will be found to be applicable. Do not bathe animal during the attack, and let his food be light and of a nutritious nature. *Our Vegetable and Mineral Tonic* is excellent during convalescence.

RHEUMATISM.

Science, as yet, has not definitely ascertained the cause of this most troublesome disease. In all cases of Rheumatism, the blood is poisoned by lactic acids, which is produced within the body. Cold and dampness predispose

the animal to an attack. The disease is most noticeable about the joints and in the muscles of the back and loins. The common name of *Chest Founder*, or *Kennel Lameness*, has been given to this disease, when the muscles of the chest, shoulders and fore-legs are involved.

Symptoms—In ACUTE, ARTICULAR RHEUMATISM,—the form affecting the joints—the joints are hot, swollen and painful, locomotion is difficult and extremely painful, causing the animal to yelp and cry; breathing is difficult, offensive odor to the breath, the tongue is coated and the animal is constipated.

MUSCULAR RHEUMATISM does not affect the joints. In this form the muscles and ligaments are involved. The animal walks with his back arched, drags his feet after him, disinclination to move, pain on pressure over the back and loins, and constipation. Some have named this form of rheumatism *Lumbago*.

CHEST FOUNDER, OR KENNEL LAMENESS, is recognized by a stiffness in walking, pain in the shoulders, and is due mostly to cold and damp conditions

Treatment—Relieve constipation by giving cathartics. *One Anti-Constipation Cure* is here

most suitable. Apply locally hot fomentations (cloths rung out in hot water), to parts affected, and then apply *Our Liniment*. Keep patient warm and dry; food should be light, nutritious, but not stimulating; milk and lime water is good, in fact lime mixed with all the food will be beneficial. Medicinally, we recommend *Our Rheumatism Cure*; it is a specific and gives relief after the first dose.

EYE DISEASES.

Any and all parts of the Eye may be the seat of disease, and it would serve little purpose to give a complete account of all. Those parts mostly affected are Eyelids, Eyelashes, Conjunctiva (or the membrane lining of the eye), Cornea and the Eye-ball. The collective *Symptoms* of the diseases are redness, inflammation, tenderness, watery or thick discharges, pain, whitish film over eyes, ulcerations and an abhorrence of light. The *Causes* are blows, scratches, foreign bodies in the eyes, or from colds, distemper and skin diseases. In all forms *Our Eye Lotion* has acted wonderfully, one application showing improvement. You can assist the medicine by removing patient to a dark, dry room, and keeping discharges free and away from the eyes by

the frequent application of warm water on a silken and clean sponge. The bowels should be regulated by a good laxative.

VOMITING.

A condition due to the food being unsuitable, either in quality or quantity, or in many cases, from the stomach being unfit to receive same. Vomiting is often caused by worms, in which case we recommend *Our Vermifuge* preparation. If, to causes unknown, *Our Anti-Vomiting Pills* will give immediate relief. After the attack of vomiting, the bowels should be regulated by a cathartic, and *Our Digestive Pills* administered to tone up the deranged stomach.

DIARRHOEA AND CONSTIPATION.

Are conditions due to errors in feeding, from insufficient and irregular exercise, and from a change in diet. In puppies, from milk turning sour. Constipation is one of the most prominent causes of Skin diseases. In old animals these conditions are due to a loss of tone of the intestines, and *Our Vegetable and Mineral Tonic* should be given in conjunction with the *Digestive Remedy and Anti-Constipation Cure*. If the Diarrhoea is persistent, one or two of


Our Diarrhoea Specific or Pills will be efficacious.

LAMENESS.

May be due to damp and cold conditions, and is quickly relieved by *Our Liniment*, which is par excellent in this condition, in conjunction with the *Blood Purifier*. The *Liniment* is also sold in goodly quantities at our Hospital to human beings, who praise it highly for its beneficial effects in Rheumatism, Lumbago, Lameness, Sprains and Bruises, and have commonly named it *Horse Liniment*.

CORRESPONDENCE

Is solicited, and advice will be cheerfully given gratis where *Our Remedies* may not have effected a positive cure, as complications in disease are often found, and especially where the owner might err in making a positive diagnosis as to the true disease or ailments, as many diseases have the same symptoms in common, but require different treatment. Our desire is to assist the purchaser of *Our Remedies* and *Specifics*, and to effect a positive cure, which we guarantee, if used as directed and where indicated.



EQUINE DEPARTMENT AND OPERATING ROOM.

Chloro = Naphtholeum.

The Best Antiseptic Dog Wash.

Healing
to the
Hide.



Cleansing
to the
Hair.

TRADE MARK.

See that this appears on every package.

Most Reliable Cure for

MANGE

Sure Death to Fleas and other Parasites.
The Standard Disinfectant for Kennels.

*Used and recommended by the leading
Veterinary Institutions of the United States*

PRICES:

Bottles, 25c. Qt. Cans, 65c. Gallons, \$1.50

Special Prices in larger quantities.

Ask your dealer, or address

WEST DISINFECTING CO.,

36 East 59th Street.

TELEPHONE, 249-38TH ST.

Established 1851.

Incorporated 1897.

EIMER & AMEND,

Wholesale Druggists,

IMPORTERS AND MANUFACTURERS OF

Chemicals and Chemical Apparatus.

MAKE A SPECIALTY OF

All Drugs, Extracts, Tinctures, Chemicals, Etc., Etc., used in Veterinary Practice.

Prescriptions Carefully Compounded
by Competent Pharmacists.

205, 207, 209 and 211 Third Avenue,
203, 205, and 207 E. 18th Street,

8th St. Elevated R.R. Station,

NEW YORK.

We supply the Drugs and Chemicals used by
The New York Veterinary Hospital.

SPECIAL NOTICE.

Letter Department.

Any and all cases carefully and accurately diagnosed and treated by mail. Strict attention is given to this branch by *Canine Specialists* experience. All communications requesting advice, must be accompanied by a fee of \$2.00 which will include advice and necessary medicine.

Address all communications to

Canine Department,

New York Veterinary Hospital

117 West 25th Street,

New York City

Telephone 1885 Madison Square.

44/
A B

112



CANISE AMBULANCE.



DOBBS BROS.
LIBRARY BINDING

MAY 81

ST. AUGUSTINE
FLA.



32084

LIBRARY OF CONGRESS



0 003 373 279 A

